

SURVEILLANCE DATA, JANUARY 2014, GREECE

Table 1. Number of notified cases in January 2014, median number of notified cases in January for the years 2004–2013 and range, Mandatory Notification System, Greece.

| Disease | Number of notified cases | | | | | | | | | | | |
|--|--------------------------|---------------------------------------|------------------------------------|------------------------------------|--|--|--|--|--|--|--|--|
| | January 2014 | Median number January 2004-2013 | Min number January 2004-2013 | Max number January 2004-2013 | | | | | | | | |
| Botulism | 0 | 0 | 0 | 0 | | | | | | | | |
| Chickenpox with complications | 1 | 1 | 0 | 7 | | | | | | | | |
| Anthrax | 1 | 0 | 0 | 0 | | | | | | | | |
| Brucellosis | 12 | 7 | 1 | 30 | | | | | | | | |
| Diphtheria | 0 | 0 | 0 | 0 | | | | | | | | |
| Arbo-viral infections | 0 | 0 | 0 | 0 | | | | | | | | |
| Malaria | 1 | 1,5 | 0 | 10 | | | | | | | | |
| Rubella | 0 | 0 | 0 | 0 | | | | | | | | |
| Smallpox | 0 | 0 | 0 | 0 | | | | | | | | |
| Echinococcosis | 0 | 0,5 | 0 | 4 | | | | | | | | |
| Hepatitis A | 15 | 10 | 1 | 25 | | | | | | | | |
| Hepatitis B, acute & HBsAg(+) in infants < 12 months | 3 | 8 | 2 | 15 | | | | | | | | |
| Hepatitis C, acute & confirmed anti-HCV positive (1 st diagnosis) | 1 | 1 | 0 | 21 | | | | | | | | |
| Measles | 0 | 0 | 0 | 39 | | | | | | | | |
| Haemorrhagic fever* | 2 | 0 | 0 | 0 | | | | | | | | |
| Pertussis | 1 | 0,5 | 0 | 7 | | | | | | | | |
| Legionellosis | 0 | 1 | 0 | 2 | | | | | | | | |
| Leishmaniasis | 7 | 6,5 | 1 | 16 | | | | | | | | |
| Leptospirosis | 2 | 1 | 0 | 3 | | | | | | | | |
| Listeriosis | 1 | 0 | 0 | 2 | | | | | | | | |
| EHEC infection | 0 | 0 | 0 | 0 | | | | | | | | |
| Rabies | 0 | 0 | 0 | 0 | | | | | | | | |
| Melioidosis/Glanders | 0 | 0 | 0 | 0 | | | | | | | | |

| Meningitis | | | | |
|---|----|------|----|----|
| aseptic | 25 | 15,5 | 8 | 43 |
| bacterial (except meningococcal | 14 | 17,5 | 8 | 23 |
| disease) | | | | |
| unknown aetiology | 0 | 1,5 | 0 | 9 |
| Meningococcal disease | 7 | 9 | 3 | 18 |
| Plague | 0 | 0 | 0 | 0 |
| Mumps | 0 | 0 | 0 | 16 |
| Poliomyelitis | 0 | 0 | 0 | 0 |
| Q Fever | 1 | 0 | 0 | 1 |
| Salmonellosis (non | 11 | 22,5 | 7 | 54 |
| typhoid/paratyphoid) | | 22,5 | , | 54 |
| Shigellosis | 8 | 1 | 0 | 11 |
| Severe Acute Respiratory Syndrome | 0 | 0 | 0 | 0 |
| Congenital rubella | 0 | 0 | 0 | 0 |
| Congenital syphilis | 0 | 0 | 0 | 0 |
| Congenital Toxoplasmosis | 0 | 0 | 0 | 0 |
| Cluster of foodborne / waterborne | 1 | 0 | 1 | 3 |
| disease cases Tetanus / Neonatal tetanus | 0 | 0,5 | 0 | 2 |
| Tularaemia | 0 | 0 | 0 | 0 |
| Trichinosis | 0 | 0 | 0 | 0 |
| Typhoid fever/Paratyphoid | 0 | 0,5 | 0 | 5 |
| Tuberculosis | 35 | 41 | 29 | 53 |
| Cholera | 0 | 0 | 0 | 0 |
| | • | | • | • |

^{*}These are cases with symptoms onset in 2011 that were notified upon active request

Table 2. Number of notified cases by place of residence (region), Mandatory Notification System, January 2014 (place of residence is defined according to home address of cases).

| Disease | Number of notified cases | | | | | | | | | | | | | |
|--|---------------------------------|-------------------|-------------------|--------|-----------|----------------|----------------|---------------|--------|-------------|-----------------|-----------------|-------|---------|
| Region | ø | æ | <u>ë</u> | | | | | | | | _ | _ | | |
| | Eastern Macedonia and Thrace | Central Macedonia | Western Macedonia | Epirus | Thessalia | lonian islands | Western Greece | Sterea Greece | Attica | Peloponnese | Northern Aegean | Southern Aegean | Crete | Unknown |
| Chickenpox with complications | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Anthrax | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brucellosis | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 3 | 2 | 2 | 0 | 0 | 0 | 0 |
| Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Hepatitis A | 7 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 |
| Hepatitis B, acute & HBsAg(+) in infants < 12 months | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 |
| Hepatitis C, acute & confirmed anti-HCV positive (1 st diagnosis) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haemorrhagic fever | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Pertussis | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Leishmaniasis | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Leptospirosis | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Listeriosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Meningitis | | | | | | | | | | | | | | |
| aseptic | 0 | 0 | 0 | 0 | 7 | 0 | 3 | 0 | 9 | 0 | 0 | 0 | 6 | 0 |
| bacterial (except meningococcal disease) | 0 | 1 | 0 | 2 | 1 | 0 | 1 | 0 | 7 | 2 | 0 | 0 | 0 | 0 |
| Meningococcal disease | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 0 |
| Q Fever | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmonellosis (non typhoid/paratyphoid) | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 3 | 1 | 0 | 0 | 1 | 0 |
| Shigellosis | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 3 | 2 | 0 | 0 | 0 | 0 |
| Cluster of foodborne / waterborne disease cases | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Tuberculosis | 3 | 6 | 0 | 5 | 0 | 2 | 0 | 3 | 6 | 5 | 0 | 0 | 2 | 3 |

Table 3. Number of notified cases by age group and gender, Mandatory Notification System, Greece, January 2014 (M: male, F: female)

| Disease | Number of notified cases by age group (years) and gender | | | | | | | | | | | | | | nd g | gen | der | | | |
|--|--|---|---|----|---------|---|----|-----|------|---|----|------|----|------|------|---------|-----|---|----|-----|
| | < | 1 | 1 | -4 | -4 5-14 | | 15 | -24 | 25-3 | 4 | 35 | 5-44 | 45 | 5-54 | | 5- 4 | 65 | + | Un | kn. |
| | М | F | М | F | M | F | М | F | М | F | М | F | M | F | | F | М | F | М | F |
| Chickenpox with complications | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Anthrax | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Brucellosis | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 1 | 2 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 0 |
| Malaria | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis A | 0 | 0 | 4 | 3 | 2 | 2 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatitis B, acute & HBsAg(+) in infants < 12 months | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Hepatitis C, acute & confirmed anti-HCV positive (1st diagnosis) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haemorrhagic fever | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Pertussis | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Leishmaniasis | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 0 | 0 |
| Leptospirosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Listeriosis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Meningitis | | | | | | | | | | | | | | | | | | | | |
| aseptic | 2 | 1 | 3 | 3 | 4 | 2 | 2 | 0 | 2 | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| bacterial (except meningococcal disease) | 3 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 |
| Meningococcal disease | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Q Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Salmonellosis (non typhoid/paratyphoid) | 0 | 2 | 1 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Shigellosis | 0 | 0 | 2 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Tuberculosis* | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 0 | 4 | 0 | 4 | 0 | 6 | 0 | 11 | 4 | 0 | 0 |

are included in the list of the mandatory notified diseases in Greece. Notification forms and case definitions can be found at the website of HCDCP (www.keelpno.gr).

It should be noted that data for January 2014 are provisional, and can be slightly modified/corrected in the future and also that data interpretation should be made with caution, as there are indications of underreporting to the system.

Department of Epidemiological Surveillance and Intervention